

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S51	23	eliminate near redundant near calculation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:52
S50	1	eliminate near redundant and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:52
S49	1924	eliminate near redundant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:52
S48	30	(before prior) near2 call and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:41
S47	12254	(before prior) near2 call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:41
S46	2	("6230314").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/10 18:41
S45	51	probe and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:40
S44	292	(717/130).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/10 18:34
S43	0	S42 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:33
S42	8811	("717").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/10 18:33

S41	80	probe near redundant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:33
S40	36	probe near place\$4 with (function method procedure) same (function method procedure) same instrument\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:33
S39	343	probe near place\$4 with (function method procedure) same (function method procedure) and instrument\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:32
S38	123	probe near place\$4 near2 (function method procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:32
S36	866	probe near place\$4 with (function method procedure) same (function method procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:32
S37	272	probe near place\$4 near4(function method procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:31
S35	866	probe near place\$4 with (function method procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:30
S34	184	probe near place\$4 with function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:30
S33	0	probe near place\$4 with (boundary edge border) with (block function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:30
S32	0	probe near place\$4 with (boundary edge border) and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:29

S31	0	probe near place\$4 with (boundary edge border) and 717/clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:29
S30	113	probe near place\$4 with (boundary edge border)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:29
S29	13	probe with (entry exit) with (function method procedure) and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:28
S28	353	probe with (entry exit) with (function method procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:22
S27	4683	probe with (entry exit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:22
S26	23	(call near2 probe) with function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:22
S25	42	calling near2 probe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:19